




HAZARDOUS WASTE EXCEPTION REPORTS

CA, OR, WA, TX Generators

The EPA governs the storage and disposal of hazardous waste in the United States and mandates the use of the Hazardous Waste Manifest when transporting hazardous waste. Once in transport, the hazardous waste must reach the designated facility within a certain number of days, and the generator must receive a copy of the Hazardous Waste Manifest showing that the waste was received by the designated facility. If the generator does not receive a copy of the manifest signed by the facility, the generator is required to take steps to locate their hazardous waste and may need to submit notification to the USEPA Regional Administrator for the region where the generator is located.



Regulatory Citations:

- Fed: 40 CFR 262.42
- WA: WAC 173-303-220
- OR: 40 CFR 262.42
- CA: 22 CCR 66262.42
- TX: 30 TAC 335.13(k)
- TX: 30 TAC 335.13 (m)

Revised December 2019

1 Address for exception report notifications in California:
 DTSC Report Repository
 Generator Information Services Section
 P.O. Box 806
 Sacramento, CA 95812-0806

2 Address for exception report notifications in Washington:
 Department of Ecology
 Regional Office where generator is located
<https://ecology.wa.gov/About-us/Get-to-know-us/Contact-US>

3 Address for exception report notifications in Oregon:
 DEQ Hazardous Waste Program
 Attn: Forms Clerk, 700 NE Multnomah St, Suite 600
 Portland, OR 97232-4100

4 Address for exception report notifications in Texas:
 TCEQ Registration and Reporting Section, MC129
 P.O. Box 13087
 Austin, TX 78711-3087

If the Generator is a:	Exception reporting requires the generator to:
Small Quantity Generator (California and Oregon)	1. Contact the transporter and disposal facility if a signed manifest is not received within 35 days of the date of pickup to enquire about the status of their waste shipment. 2. If a copy of the manifest signed by the designated facility is not received within 60 days , submit a legible copy of the manifest along with an indication that the generator has not received confirmation of the delivery, to the USEPA Regional Administrator for the region in which the generator is located.
Large Quantity Generator *and all Generators using a manifest in Washington State and Texas*	1. Contact the transporter and disposal facility if a signed manifest is not received within 35 days of the date of pickup to enquire about the status of their waste shipment. 2. If a copy of the manifest signed by the designated facility is not received within 45 days , submit an exception report along with a legible copy of the manifest to the USEPA Regional Administrator for the region in which the generator is located.